



Supplement of

Combining lime and organic amendments based on titratable alkalinity for efficient amelioration of acidic soils

Birhanu Iticha et al.

Correspondence to: Birhanu Iticha (birhanuiticha.ayanssa@adelaide.edu.au)

The copyright of individual parts of the supplement might differ from the article licence.

Table S1 Application rates of soil amendments calculated based on titratable alkalinity of the amendments and LBC_{eq} of the soil. In the lime + organic amendment mixes, the organic amendment rate is 15 g kg^{-1} soil.

Soil amendments	Respective application rates (g kg^{-1} soil)
Unamended soil	-
Lime	2.81
Organic amendments	
Wheat straw	471.1
Faba bean straw	127.8
Blended poultry litter	31.2
Biochar	32.6
Compost	15.4
50:50% mixture of organic amendments	
Wheat straw + compost	235.6 + 7.7
Faba bean straw + biochar	63.9 + 16.3
Lime-organic amendment combinations	
Lime + wheat straw	2.72 + 15
Lime + faba bean straw	2.49 + 15
Lime + blended poultry litter	1.49 + 15
Lime + biochar	1.54 + 15
Lime + compost	0.13 + 15

The liming value of 15 g of each organic amendment is presented in Table 3.

Table S2. Correlation matrix between pH_w of amended soils measured at different soil water contents and basic chemical properties of the amendments.

	pH of OA	EC of OA	Alkalinity	Soil pH (60% FC)	Soil pH (100% FC)	Soil pH (150% FC)
pH of OA	1					
EC of OA	-0.09	1				
Alkalinity	0.60*	0.69**	1			
Soil pH (60% FC)	-0.44	-0.43	0.72**	1		
Soil pH (100% FC)	-0.45	-0.48	0.75**	0.99**	1	
Soil pH (150% FC)	0.90**	0.22	0.82**	0.77**	0.78**	1

* Correlation is significant at 0.05 level, ** Correlation is significant at 0.01 level of significance, OA: organic amendment, EC: electrical conductivity