



## Corrigendum to “Aeration and mineral composition of soil mediate microbial CUE” published in SOIL, 11, 735–753, 2025

Jolanta Niedźwiecka<sup>1,2</sup>, Roey Angel<sup>1,2</sup>, Petr Čapek<sup>2</sup>, Ana Catalina Lara<sup>1,a</sup>, Stanislav Jabinski<sup>1,2</sup>,  
Travis B. Meador<sup>1,2</sup>, and Hana Šantrůčková<sup>2</sup>

<sup>1</sup>Institute of Soil Biology and Biogeochemistry, Biology Centre CAS, České Budějovice, Czechia

<sup>2</sup>Faculty of Science, University of South Bohemia in České Budějovice, Czechia

<sup>a</sup>present address: Department of Biochemistry and Microbiology,  
University of Chemistry and Technology, Prague, Czechia

**Correspondence:** Roey Angel (roey.angel@bc.cas.cz) and Hana Šantrůčková (hasan@prf.jcu.cz)

Published: 25 March 2026

In the published version there is a typo in Table 2. The right-most header of the table should read “CT anoxic” instead of “PL anoxic”. The correct Table 2 is shown below.

**Table 2.** Concentrations of potential terminal electron acceptors throughout the incubations.

$e^-$ acceptor <sup>a</sup> /time (h)	PL oxic				CT oxic				PL anoxic				CT anoxic			
	0	24	48	72	0	24	48	72	0	24	48	216	0	24	48	216
Fe(II) <sup>b</sup>	1.36	0.66	0.56	0.59	2.14	1.23	1.48	1.74	1.00	1.14	0.99	1.85	2.74	2.27	2.28	4.23
NO <sub>3</sub> <sup>-c</sup>	0.06	0.03	0.02	0.01	0.7	0.33	0.07	0.09	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
SO <sub>4</sub> <sup>2-c</sup>	0.05	0.04	0.04	0.03	0.05	0.06	0.05	0.05	0.06	0.08	0.06	0.07	0.14	0.15	0.16	0.18

<sup>a</sup> Mean concentrations ( $\mu\text{mol g}^{-1}$ ),  $n = 2$ . <sup>b</sup> Measured using acid extraction from soil sample. <sup>c</sup> Measured in pore water.