

# Phosphorus dynamics during early soil development in extreme environment – Supporting Information

Zuzana Frkova, Chiara Pistocchi, Yuliya Vystavna, Katerina Capkova, Jiri Dolezal, Federica Tamburini





Figure S1: Long-term A: soil temperature data and B: volumetric soil moisture content in  $\text{cm}^3 \text{cm}^{-3}$  (5 cm below surface) á 15 mins. Both data loggers were situated in the base camp, 5700 m.a.s.l. in a lawn, or in a lawn covered with rock debris, for red and blue line respectively, ca 500-700m from the sampling site. B: Long-term data on the volumetric soil moisture content in  $\text{cm}^3 \text{cm}^{-3}$  (5 cm below surface).



Figure S2: Sampling sites on the northern slope of Chamser Kangri peak (6645 m). Site M1/W1 and M2 with no vegetation cover; M2 and M3 with weakly or well-developed SBC, respectively; M3 sparingly inhabited by *Thylacospermum caespitosum* (20-50% surface cover); M4 with well-developed SBC and vegetation cover with *Poa attenuata*

and *Thylacospermum* (70-80% surface cover).






Figure S3: Monthly variation in soil temperature (A) and volumetric soil moisture content (B) 5 cm below surface. Data loggers were situated in the base camp, 5700 m.a.s.l., in a lawn, or in a lawn covered with rock debris, for red and blue line respectively, ca 500-700m from the sampling site.

### *Discussion of water isotopes results*

*Water isotopes.* Regular diurnal precipitation in the form of snow, followed by melting in the morning hours suggest precipitation as the main factor determining the  $\delta^{18}\text{O}_w$  in soil water at the older sites (M2-M4) with variable  $\delta^{18}\text{O}_w$  enrichment by evaporation (Sprenger *et al.* 2017).

The observed enrichment by heavy isotopes of water in the stream ( $\delta^{18}\text{O}_w = -12.4\text{‰}$ ,  $\delta^2\text{H}_w = -94.3\text{‰}$ ) may be explained by mixing of glacier melt ( $\delta^{18}\text{O}_w: -15.8\text{‰}$ ,  $\delta^2\text{H}_w: -116.3\text{‰}$ ) with a melting snowpack, since the latter has higher stable water isotope ratio of  $-11.4\text{‰}$  for  $\delta^{18}\text{O}_w$  and  $-68\text{‰}$  for  $\delta^2\text{H}_w$  than the glacier melt, as previously reported for cold arid regions of the Western Himalaya [82]. The  $\delta^{18}\text{O}_w$  values of the soil water at four forefield sites were highly variable. The lighter isotopic value for M1 can be related to soil saturation with a mixed glacier and snowpack melt indicating a short residence time of the sampled water in the soil layer (young water). Accordingly, this value is also very close to the value we measured in the glacier stream water. In contrary, the isotopic enrichment of the older soils (M2-M4) may be attributed to a longer residence time of the soil water (old water) and to evaporative enrichment. This explanation is corroborated by the fluctuation of soil moisture during the week of sampling (Figure S3).

Table S1: Individual sequentially extracted P-fractions in particular soils, average values (n=3) in mg P kg<sup>-1</sup> of dry soil weight (top 0-5 cm).

Locality	Available	Microbial	Oxides	Organic	Mineral	Total P
	mg P kg <sup>-1</sup> of soil dry weight					
<b>M1</b>	0.3	0.4	2.3	0.4	726.6	<b>740.2</b>
<b>M2</b>	1.0	1.4	6.8	0.6	716.6	<b>720.5</b>
<b>M3</b>	2.3	3.6	8.3	6.1	909.7	<b>930.1</b>
<b>M4</b>	2.2	7.1	9.0	19.2	643.3	<b>770.7</b>

Table S2: Pearson correlation, p-values (empty cells = no significance), and visualization of the positive and negative correlation in a heatmap

p-values	TOC	TN	TP	Mg	Al	K	Ca	Fe	Betaglucos	Cellobiosid	Phosphata	Leucinamino	Chitinase	Clay	Fine silt	Coarse silt	Fine sand	Coarse sar	Bulk densi	Age	Stock avail	Stock oxide	Stock mine	Stock micr	Stock Po	totNen	totCen	totEn	
TOC		0.8775	0.0048	0.0806	0.2113	< 2.2e-16	0.0003	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.0063	0.9153	< 2.2e-16	0.0014	0.2784	0.1458	0.0206	0.0004	0.014	0.026	0.0077	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	
TN	< 2.2e-16		0.0045	0.0961	0.1879	< 2.2e-16	0.0003	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.0052	0.8406	< 2.2e-16	0.001	0.2326	0.1158	0.0159	0.0003	0.0111	0.0186	0.0059	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	
TP	0.8775	0.8589		0.0696	0.0246	0.6099	0.2346	0.9481	0.8333	0.8943		0.4221	0.0482	0.0229	0.3393	0.4279	0.118	0.273	0.0351	0.1061	0.0256	0.2544	0.1528	0.426	0.6702	0.3813	0.7294	0.7117	
Mg	0.0048	0.0045	0.1362		0.8272	0.0009	< 2.2e-16	0.0013	0.0005	0.0035		0.0249	0.2993	0.5782	0.0395	< 2.2e-16	0.5973	0.2847	0.4365	0.1736	0.4685	0.149	< 2.2e-16	0.0324	0.0127	0.0298	0.0057	0.0062	
Al	0.0806	0.0961	0.0696	0.0251		0.0129	0.0169	0.1115	0.1576	0.2503		0.505	0.8763	0.0054	0.4794	0.2474	0.1009	0.2401	0.4772	0.8173	0.5781	0.5271	0.1562	0.31	0.1126	0.5364	0.2483	0.2664	
K	0.2113	0.1879	0.0246	0.8272	0.0741		0.8079	0.2061	0.2597	0.0948		0.0243	0.0061	0.0015	0.0217	0.3318	0.0011	0.0035	0.0002	0.0043	0.0003	0.0023	0.6417	0.043	0.1658	0.0214	0.0865	0.0783	
Ca	< 2.2e-16	< 2.2e-16	0.6099	0.0009	0.0129	0.6033		< 2.2e-16	0.0001	< 2.2e-16		0.0012	0.052	0.5351	0.0011	0.002	0.6856	0.41	0.1437	0.0112	0.1135	0.1311	0.0038	0.0002	< 2.2e-16	0.0015	< 2.2e-16	< 2.2e-16	
Fe	0.0003	0.0003	0.2346	< 2.2e-16	0.0169	0.8079	< 2.2e-16		< 2.2e-16	0.0004		0.0052	0.128	0.6659	0.0072	< 2.2e-16	0.4975	0.2351	0.2213	0.0509	0.2219	0.0887	< 2.2e-16	0.0047	0.0017	0.0065	0.0006	0.0007	
Betaglucosi	< 2.2e-16	< 2.2e-16	0.9481	0.0013	0.1115	0.2061	< 2.2e-16	< 2.2e-16		< 2.2e-16		< 2.2e-16	0.0054	0.7474	< 2.2e-16	< 2.2e-16	0.164	0.0664	0.0164	0.0006	0.0139	0.0095	0.0012	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16
Cellobiosid	< 2.2e-16	< 2.2e-16	0.8333	0.0005	0.1576	0.2597	0.0001	< 2.2e-16	< 2.2e-16			< 2.2e-16	0.0077	0.6113	< 2.2e-16	< 2.2e-16	0.1002	0.031	0.0201	0.0023	0.0214	0.0046	0.0001	0.0001	0.0002	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16
Phosphatas	< 2.2e-16	< 2.2e-16	0.8943	0.0035	0.2503	0.0948	< 2.2e-16	0.0004	< 2.2e-16	< 2.2e-16		< 2.2e-16	0.0045	0.4508	< 2.2e-16	< 2.2e-16	0.0647	0.0211	0.0047	0.0002	0.0045	0.0019	0.0016	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16
Leucinamini	< 2.2e-16	< 2.2e-16	0.4221	0.0249	0.505	0.0243	0.0012	0.0052	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.2031	< 2.2e-16	0.0009	0.0202	0.0071	0.0002	< 2.2e-16		0.0002	0.0003	0.0121	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16
Chitinase	0.0063	0.0052	0.0482	0.2993	0.8763	0.0061	0.052	0.128	0.0054	0.0077	0.0045	0.0002		< 2.2e-16	0.0625	0.0088	0.0082	< 2.2e-16	< 2.2e-16		< 2.2e-16	0.0009	0.232	0.0004	0.0041	< 2.2e-16	0.001	0.001	
Clay	0.9153	0.8406	0.0229	0.5782	0.0054	0.0015	0.5351	0.6659	0.7474	0.6113	0.4508	0.2031	0.0496		0.5622	< 2.2e-16	0.0004	0.0041	0.0995		0.0097	0.004	0.9716	0.4141	0.8599	0.1857	0.4423	0.4161	
Fine silt	< 2.2e-16	< 2.2e-16	0.3393	0.0395	0.4794	0.0217	0.0011	0.0072	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.2273	0.0285	0.0124	0.0002	< 2.2e-16		< 2.2e-16	0.0006	0.0227	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16
Coarse silt	0.0014	0.001	0.4279	< 2.2e-16	0.2474	0.3318	0.002	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.0009	0.0625	0.5622	0.0025	0.0174	0.0566	0.0223		0.0757	0.0047	< 2.2e-16	0.004	0.0052	0.0013	0.0002	0.0002	0.0002	
Fine sand	0.2784	0.2326	0.118	0.5973	0.1009	0.0011	0.6856	0.4975	0.164	0.1002	0.0647	0.0202	0.0088	< 2.2e-16	0.0285	0.0779		0.0002	0.0137		0.001	< 2.2e-16	0.2488	0.0828	0.2836	0.0181	0.0671	0.0602	
Coarse sanc	0.1458	0.1158	0.273	0.2847	0.2401	0.0035	0.41	0.2351	0.0664	0.031	0.0211	0.0071	0.0082	0.0004	0.0124	0.0174	< 2.2e-16		0.0093		0.0013	< 2.2e-16	0.084	0.0426	0.1647	0.0066	0.0245	0.0215	
Bulk density	0.0206	0.0159	0.0351	0.4365	0.4772	0.0002	0.1437	0.2213	0.0164	0.0201	0.0047	0.0002	< 2.2e-16	0.0041	0.0002	0.0566	0.0002	0.0003			< 2.2e-16	< 2.2e-16	0.2331	0.0012	0.016	0.0001	0.0029	0.0024	
Age	0.0004	0.0003	0.1061	0.1736	0.8173	0.0043	0.0112	0.0509	0.0006	0.0023	0.0002	< 2.2e-16	< 2.2e-16	0.0995	< 2.2e-16	0.0223	0.0137	0.0093	< 2.2e-16		< 2.2e-16	0.0005	0.1116	< 2.2e-16	0.0002	< 2.2e-16	< 2.2e-16	< 2.2e-16	
Stock availa	0.014	0.0111	0.0256	0.4685	0.5781	0.0003	0.1135	0.2219	0.0139	0.0214	0.0045	0.0002	< 2.2e-16	0.0097	< 2.2e-16	0.0757	0.001	0.0013	< 2.2e-16	< 2.2e-16		0.2824	0.0006	0.0096	0.0001	0.0024	0.002		
Stock oxides	0.026	0.0186	0.2544	0.149	0.5271	0.0023	0.1311	0.0887	0.0095	0.0046	0.0019	0.0003	0.0009	0.004	0.0006	0.0047	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.0005	< 2.2e-16		0.0039	0.0305	0.0002	0.0019	0.0016		
Stock miner	0.0077	0.0059	0.1528	< 2.2e-16	0.1562	0.6417	0.0038	< 2.2e-16	0.0012	0.0001	0.0016	0.0121	0.232	0.9716	0.0227	< 2.2e-16	0.2488	0.084	0.2331	0.1116	0.2824	0.0406		0.0262	0.015	0.0033	0.0035		
Stock micro	< 2.2e-16	< 2.2e-16	0.426	0.0324	0.31	0.043	0.0002	0.0047	< 2.2e-16	0.0001	< 2.2e-16	< 2.2e-16	0.0004	0.4141	< 2.2e-16	0.004	0.0828	0.0426	0.0012	< 2.2e-16	0.0006	0.0039	0.0288		< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	
Stock Po	< 2.2e-16	< 2.2e-16	0.6702	0.0127	0.1126	0.1658	< 2.2e-16	0.0017	< 2.2e-16	0.0002	< 2.2e-16	< 2.2e-16	0.0041	0.8599	< 2.2e-16	0.0052	0.2836	0.1647	0.016	0.0002	0.0096	0.0305	0.0262	< 2.2e-16		< 2.2e-16	< 2.2e-16	< 2.2e-16	
totNen	< 2.2e-16	< 2.2e-16	0.3813	0.0298	0.5364	0.0214	0.0015	0.0065	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.1857	< 2.2e-16	0.0013	0.0181	0.0066	0.0001	< 2.2e-16	0.0001	0.0002	0.015	< 2.2e-16	< 2.2e-16		< 2.2e-16		
totCen	< 2.2e-16	< 2.2e-16	0.7294	0.0057	0.2483	0.0865	< 2.2e-16	0.0006	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.001	0.4423	< 2.2e-16	0.0002	0.0671	0.0245	0.0029	< 2.2e-16	0.0024	0.0019	0.0033	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16		
totEn	< 2.2e-16	< 2.2e-16	0.7117	0.0062	0.2664	0.0783	< 2.2e-16	0.0007	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16	0.001	0.4161	< 2.2e-16	0.0002	0.0602	0.0215	0.0024	< 2.2e-16	0.002	0.0016	0.0035	< 2.2e-16	< 2.2e-16	< 2.2e-16	< 2.2e-16		

